


Wall

Items required





Information


- Steps to assemble IDEAPERFO panels:
- 1: Attach the metal profile to the wall surface with screws.
- 2: Screw up **only**, and on the same way, the start/end piece on the **first** and **last** panel.
- 3: Attach the panel to the wall surface by coupling the fixing cleats and the profile.


 4: Introduce and turn, with just a twist, the fixing cleat for tongue and groove inside the profiles and after each panel. Move the connecting MDF piece towards the panel.
- 5: Attach the next panel with another fixing cleat until completing the installation.


Mounting system












Types of edges












ideaperfo

ideaperfo

Wall


Items required





Information


- Steps to assemble IDEAPERFO panels on wooden battens
- 1: Attach the wooden batten to the wall surface with screws.
- 2: Face the panel to the wooden batten structure.
 3: Introduce the fixing cleat on the panel's tongue and groove side and screw.
- 4: Attach the next panel with another fixing cleat until completing the installation.

Mounting system










Types of edges








ideaperfo

ideaperfo

Ceilings


Items required



Information


- Steps to assemble **IDEAPERFO panels**1: Put and level the angle profiles on the surface perimeter that needs to be covered.
- 2: Lay out T-Grid system (threaded rod, "T" profiles and hanging pieces).
- 3: Attach the cross bar to the hanging piece with the nut and move it through the "T" profile till reaching the determined position.
 4: Join the cross bar to the "T" Profile structure.
- 5: Leave the panels resting on the metal structure till finishing the installation.


Mounting system




Ask for other installation systems

Type of edges












Pol. Ind. Santa Fe // Comuna di Carrara, 10 03660 Novelda (Alicante) Spain T. +34 965 609 046 // +34 965 609 162 // F. +34 965 609 163 www.ideatec.es // info@ideatec.es



ideaperfo

Ceilings


Items required




Information

- Steps to assemble **IDEAPERFO panels**1: Put and level the angle profiles on the surface perimeter that needs to be covered.
- 2: Lay out T-Grid system (threaded rod, "T" profiles and hanging pieces).
- 3: Attach the cross bar to the hanging piece with the nut and move it through the "T" profile till reaching the determined position.
 4: Join the cross bar to the "T" Profile structure.
- 5: Leave the panels resting on the metal structure till finishing the installation.

Mounting system




Type of edges












Wall curves solutions

Mounting system







3. Curve with Flex panels

Information

Steps to assamble IDEAPERFO panels

1: Omega Curved Profile: place the curved profiles at the same level as the installed omega


and screw them to the fixing cleat. (Panel installed vertically).

2: Flat Curved Profile: attach and screw part of the fixing cleat to the omega profile body.


Then, attach the flat curved profile and screw it to the whole. (Panel installed vertically).


3: Curve with Flex panels: screw the metallique angle to the wall and MDF ribs. Install the Flex panel on the ribs as with the Ideaperfo panels, screwing the Start/End pieces on the ribs profiles and using the double groove fixing cleat. (Panel installed horizontally).


Corners alternatives




Frame Edge









*Approximate measurements. Ask for different widths depending on the radious of curvature. Minimum radius 1m.







