

**SilentPoly™ Dual-Tone Acoustic Panels** have a thermal bonded two-layer structure with a hard, front-facing surface and a soft core. These panels are perfect for absorbing unwanted echoes and reverberations caused by noisy, reflective surfaces. These panels are available in 2' x 2' or 2' x 4' with a 1" thickness, and can fit into existing T-bar grid ceilings. Not only are these panels extremely lightweight, they are also very easy to install. These panels are highly acoustically rated, and are perfect for absorbing sounds within voice ranges. This product is made from 100% polyester fibers with no harmful glues, binders or VOC's. Although they are lightweight, the polyester acoustic panels are also extremely durable and provide long-term stability and performance. Need a horizontal baffle solution for your office or retail space? Need to absorb or dampen the sound reflecting off of the ceiling? This product also works extremely well for sound absorption as a horizontally mounted hanging baffle or grid ceiling tile.

## Features

- Fire resistant (EN 13501-1, B-s1, d0 / ASTM E84, Class A)
- Available in 3 different colors
- Excellent acoustic performance
- Naturally resistant to moisture
- Light-weight and easy to handle and install
- Made from 100% polyester fiber without chemical binders
- Highly durable providing long-term stability and performance
- Safe, non-toxic, non-irritant and non-allergenic
- Manufactured under ISO9001 and ISO14001 accredited Quality and Environmental Systems

## Installation

Hanging accessories are included with each pack. This product can be hung with Command Strips or Velcro products.



Item #	Dimension	Quantity	Color
SP.2203.B	2'x2'	20	Black
SP.2403.B	2'x4'	10	Black
SP.2203.G	2'x2'	20	Light Grey
SP.2403.G	2'x2'	20	Light Grey
SP.2203.BR	2'x2'	20	Brown
SP.2403.BR	2'x4'	10	Brown



BLACK

BROWN

LIGHT GREY

[www.SoundAcousticSolutions.com](http://www.SoundAcousticSolutions.com)

1215 Valley Belt Rd. | Brooklyn Heights, OH 44131

Toll Free: (877) 399-9697

Email: [info@SoundAcousticSolutions.com](mailto:info@SoundAcousticSolutions.com)